




New Yard Waste Drop-off Site for West Burlington Residents

The City has completed the task of tearing down the City Street Shop building at 515 W. Glasgow Street. This area has now been divided into five residential lots for new housing. Once the lots are sold, the current Yard Waste Drop-Off Site will be closed.

To help residents dispose of yard waste, Council has decided to build a new Yard Waste site at the new Public Works building located at 2000 W. Mount Pleasant Street.

WEST BURLINGTON YARD WASTE SITE



Other options for disposing of Yard Waste:

Des Moines County Landfill: The Landfill will take leaves and grass year-round at no charge. There is a charge to dispose of brush. Landfill Hours: 8am-4pm Monday thru Friday and 8am-12pm on Saturdays.

Yard Waste Carts: LaVeine Sanitation currently offers a 95 gallon cart on wheels for yard waste disposal. The carts are picked up curb-side on Wednesday. Each customer pays \$2.00 per month for rental of cart and \$4.25 when it's dumped.

Inside this issue:

Swimming Pool	2
City Wide Garage Sale	3
Water Quality Report	4
4th of July	6

RULES FOR YARD WASTE DROP OFF SITE 2000 W Mt Pleasant St

- The use of this site is intended only for West Burlington residential properties that are located within the corporate city limits. This does not include property located in Des Moines County, Burlington or surrounding areas. If you have a blue E911 address sign you are not within the corporate limits of West Burlington.
- West Burlington residents may drop off grass, leaves, garden waste and small branches under 4' in length and less than 2" in diameter.
- Pick-ups or trailers with loose yard waste/branches must be covered with a tarp to prevent yard waste from blowing out in route to the site.
- Yard waste must be placed in designated areas on the site and must be removed from plastic bags.
- Tree branches must be placed in a separate pile from leaves and grass.
- This site is not available for Industrial or Commercial property owners, lawn care services or apartment complexes.
- Violators are subject to a \$500 fine for the first violation and a fine of \$1,000 for subsequent violation.

W.B. ELECTED OFFICIALS

Mayor

Hans Trousil

City Council

Rod Crowner

Rick Raleigh

Kara Steward

Therese Lees

Doug Ervine



West Burlington Swimming Pool

602 West Burlington Ave.

Phone: 319-753-6930

Open Daily from 1 pm – 7 pm

Meet new Pool Manger Leah Godar & Assistant Manager Grant Riley

Season Opening May 30th



DAILY ADMISSION – \$4.50 (All Ages)

COUPON BOOKS – \$45 (per book)

Buy a book of 10 daily admission coupons and get 2 daily admissions FREE.

- Lost or stolen coupons will not be replaced. Coupons are not redeemable for cash.

SWIM LESSONS

Registration will take place at the swimming pool beginning May 29th thru June 5th during regular pool hours.

Schedule: Monday—Friday June 22—July 3
(Registration deadline June 10th)

Cost: \$35 Per Session—No refunds after the 2nd lesson

Hours: 11:00 am—12:00 pm

Children will be grouped according to ability and must be at least 5 years old to participate. Due to inclement weather, eight lessons will be considered a full session. Private lessons are not available.

CONCESSION AREA

Even if you're not swimming you can stop by the pool for a quick bite to eat. Visit the concessions window located on the east side of the building under the pergola.



WEATHER POLICY

You can never plan for bad weather. Our policy this year will be if the pool can not open due to inclement weather check back at 2:00 pm. At that time, a decision will be made whether to reopen or stay closed the remainder of the day.



BABY AND ME CLASSES

You and your baby will love this challenging water workout. This action-packed aqua class lets you exercise in the water with your baby at your side. Mom focuses on aerobic conditioning and muscle strengthening while baby has floating fun! Flotation seats are provided for babies. Session will include all day pool access for class day(s) and additional passes for you to enjoy any day you like throughout the season! Enjoy a fun and fit summer with your littlest ones! To register visit <https://www.ohbabylfitness.com> or West Burlington Pool Office. Please check back for season schedule.

PRIVATE POOL PARTIES

Private pool parties can be scheduled from 7 - 9 pm. To schedule a private party call 753-6930. Parties must be scheduled at least two weeks in advance. Cost: \$350. Food may be brought in for private parties. No alcoholic beverages. Groups are responsible for cleaning up after private parties.



GAZEBO RENTAL

The Gazebo can be rented during regular pool hours for group parties. To reserve the gazebo call 753-6930. Cost: \$25.00 for 2 hours. No outside food or drink other than cake is allowed during regular pool hours.





West Burlington City-Wide Garage Sale

It's time to sign up for West Burlington's 3rd annual City-Wide Garage Sale. Registration is open to residents living within the city limits of West Burlington.

- Deadline: July 10th (PAY AND TURN IN REGISTRATION FORM AT CITY HALL ; ADDITIONAL FORMS AVAILABLE AT WWW.WESTBURLINGTON.ORG)
- Registration fee: \$5.00
- Date: Saturday, July 25th (rain date: Sat., August 1st)
- Time: 800 a.m. - 4:00 p.m.
- Maps will be available after July 14th at: W.B. City Hall and W.B. Pool

West Burlington CITY-WIDE GARAGE SALE REGISTRATION FORM

Name: _____

Address: _____

Phone: _____

Email: _____

Clothing

Household Items

Furniture

Sports Equipment

Toys

Tools

Electronics


Briefly describe Special items _____

Please help us remind customers that parking and traffic regulations will be enforced during city-wide sales. Blocking roadway, driveways, sidewalks or parking on wrong side of street is prohibited.

CITY OF WEST BURLINGTON

WATER QUALITY REPORT FOR 2014

We are very pleased to provide you with the 2014 Annual Water Quality Report. This report keeps you informed about the excellent water and services we have delivered to you over the past year and contains important information regarding the water quality in our water system. Our goal is, and always has been, to provide you with a safe and dependable supply of drinking water. West Burlington purchases water from the Burlington Municipal Waterworks. In 2014 our water quality testing showed the following results:



CONTAMINANT	MCL-(MCLG	COMPLIANCE		DATE	VIOLATION	SOURCE
		TYPE	VALUE & (Range)			
Lead (ppb)	AL=15 (0)	90th	1.00 (ND-9)	2013	No	Corrosion of household plumbing systems; erosion of natural deposits
Copper (ppm)	AL=1.3 (1.3)	90th	0.05 (ND-0.05)	2013	No	Corrosion of household plumbing systems; Erosion of natural deposits; Leaching from wood preservatives
950 -DISTRIBUTION SYSTEM						
Chlorine (ppm)	MRDL=4.0 (MRDLG=4.0)	RAA	2.0 (0.3-2.43)	12/31/2014	No	Water additive used to control microbes
Total Trihalomethanes (ppb) [TTHM]	80 (N/A)	LRAA	59.00 (43-76)	12/31/2014	No	By-products of drinking water chlorination
Total Haloacetic Acids (ppb) [HAA5]	60 (N/A)	LRAA	27.00 (13-36)	12/31/2014	No	By-products of drinking water disinfection

Note: Contaminants with dates indicate results from the most recent testing done in accordance with regulations.

CONTAMINANT	MCL-(MCLG	COMPLIANCE		DATE	VIOLATION	SOURCE				
		TYPE	VALUE & (Range)							
Original Supply ID: IA2909053—BURLINGTON MUNICIPAL WATERWORKS										
01-S/EP FM MISS R. & WELLS 1,2, & 3										
Sodium (ppm)	N/A (N/A)	SGL	11.4 PPM	5/07/2014	No	Erosion of natural deposits; Added to water during treatment process				
Nitrate [as N] (ppm)	10 (10)	SGL	3.900 (1.700 - 3.900)	2014	No	Runoff from fertilizer use; Leaching from septic tanks, sewage; Erosion of natural deposits				
Toluene (ppm)	0		0.00162 PPM	8/13/2012	No	Discharge from petroleum factories				
Turbidity (NTU)	N/A (N/A)	TT	.88 NTU (0.01-.88NTU)	N/A	No	Soil runoff				
Barium (ppm)	2 (2)	5GL	.0171	5/07/2014	No	Runoff from herbicides used on row crops				
Fluoride (ppm)	4 (4)	5GL	.06	5/07/2014	No	Water additive which promotes strong teeth; Erosion of natural deposits; Discharge from fertilizer and aluminum factories				

DEFINITIONS

*Maximum Contaminant Level (MCL) – The highest level of a contaminant that is allowed in drinking water. MCLs are set as close to the MCLGs as feasible using the best available treatment technology.

*Maximum Contaminant Level Goal (MCLG) - The level of a contaminant in drinking water below which there is no known or expected risk to health. MCLGs allow for a margin of safety.

*ppb - parts per billion.

*ppm - parts per million.

*N/A - Not applicable

*RAA – Running Annual Average

*NTU – Nephelometric Turbidity Units. Provides for on-the-spot measurement of turbidity in water.

*SGL– Single Sample Result

*Action Level (AL) – The concentration of a contaminant which, if exceeded, triggers treatment or other requirements which a water system must follow.

*Maximum Residual Disinfectant Level Goal (MRDLG) - The level of a drinking water disinfectant below which there is no known or expected risk to health. MRDLGs do not reflect the benefits of the use of disinfectants to control microbial contaminants.

*Maximum Residual Disinfectant Level (MRDL) - The highest level of a disinfectant allowed in drinking water. There is convincing evidence that addition of a disinfectant is necessary for control of microbial contaminants.

*LRRA– Locational Running Annual Average

*ND- Not Detected

(Continued from page 4)

PURCHASED WATER INFORMATION

Our water system purchases water from the system (s) shown below. Their water quality is as follows:

GENERAL INFORMATION

Drinking water, including bottled water, may reasonably be expected to contain at least small amounts of some contaminants. The presence of contaminants does not necessarily indicate that water posed a health risk. More information about contaminants or potential health effects can be obtained by calling the Environmental Protection Agency's Safe Drinking Water Hotline (800-426-4791).

Some people may be more vulnerable to contaminants in drinking water than the general population. Immuno-compromised persons such as persons with cancer undergoing chemotherapy, persons who have undergone organ transplants, people with HIV/AIDS or other immune system disorders, some elderly, and infants can be particularly at risk from infections. These people should seek advice about drinking water from their health care providers. EPA/CDC guidelines on appropriate means to lessen the risk of infection by *Cryptosporidium* and other microbial contaminants are available from the Safe Drinking Water Hotline (800-426-4791).



If present, elevated levels of lead can cause serious health problems, especially for pregnant women and young children. Lead in drinking water is primarily from materials and components associated with service lines and home plumbing. West Burlington Municipal Water is responsible for providing high quality drinking water,

but cannot control the variety of materials used in plumbing components. When your water has been sitting for several hours, you can minimize the potential for lead exposure by flushing your tap for 30 seconds to 2 minutes before using water for drinking or cooking. If you are concerned about lead in your water, you may wish to have your water tested. Information

on lead in drinking water, testing methods and steps you can take to minimize exposure is available from the Safe Drinking Water Hotline or at <http://www.epa.gov/safewater/lead>.

CONTAMINANT VIOLATIONS

West Burlington Municipal Water had no contaminant violations in 2014

SOURCE WATER ASSESSMENT INFORMATION

The West Burlington water supply obtains some or all of its water from another public water supply. It is a consecutive water

supply, where an originating parent supply provides drinking water to one or more downstream supplies.

Original Supply ID: IA2909053

Original Supply Name: Burlington Municipal Waterworks

OTHER INFORMATION

Turbidity is an indicator of treatment filter performance and is regulated as a treatment technique.

Our water utility is making every effort to protect the water system from potential security threats. You, as customers, can also help. If you see any suspicious activity near the water tower, treatment plant, wells or fire hydrants, please contact us at 319-752-5451 or the local police/sheriff department. We appreciate your assistance in protecting the water system.

CONTACT INFORMATION



For questions regarding this information or how you can get involved in decisions regarding the water system, please contact City Administrator Dan Gifford at 319-752-5451 during the following hours: 8:00 am – 5:00 pm

*Spanish: Este informe contiene información muy importante sobre su agua beber. Traduzcalo o hable con alguien que lo entienda bien.



UTILITY WEB PORTAL NOW AVAILABLE

West Burlington Utility Department has a new way of viewing and paying your utility bills online. This new portal with lower processing fees allows customers to review their payment history, consumption and their current utility balance.

To sign up all you need is a current utility bill & visit <https://payments.westburlington.org> in your web browser and click register on the left hand side of the screen.

GRASS—WEEDS—BRUSH

Chapter 135 of the City Code regulates grass and weed nuisances and sets standards for mowing in West Burlington.

The City requires that every property owner cut, mow and maintain all grass, weeds and brush upon the owner's property and adjacent to the curb line or outer boundary of any street, including the parking area abutting the owner's property. Grass, weeds and brush must be cut to a uniform height not to exceed six inches (6"). Grass, weeds and brush which are allowed to grow in excess of six inches (6") will be considered a nuisance.

Please remember that grass and yard waste cannot be blown into or placed in the street for disposal. Doing so could result in a citation. The purpose of this regulation is to keep the storm sewers free of debris which can cause storm sewer blockages.

